AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of claims:

1-5. (canceled)

- 6. (currently amended) A method for producing a specific antiserum that specifically binds antigen-stimulated lymphocytes, comprising:
- i) performing a first immunization by immunizing an animal with a suspension of cells of tissue of a fetus of the same genetic line as the animal that is immunized;
- ii) recovering spleen cells from said immunized animal and separating lymphocytes therefrom, thus obtaining a lymphocyte suspension;
- iii) performing a second immunization by immunizing an animal of the same genetic line as the animal that is first immunized with said lymphocyte suspension;
- iv) recovering an antiserum from said animals immunized in the second immunization;
- v) adding cells of intact whole organs of said animals to
 said antiserum, forming a suspension; and

- vi) separating the supernatant from the sediments from the obtained suspension to obtain the specific antiserum that specifically binds antigen-stimulated lymphocytes; with the proviso that the fetus used is not a human being.
- 7. (previously presented) The method according to claim 1, in which the separation of the supernatant from the sediments is carried out by filtration.
- 8. (previously presented) The method of claim 1, in which the second immunization is performed as repeated administrations of the cell suspension over an interval of time.
- 9. (currently amended) A method for diagnosis of a malignant tumor comprising:
 - i) performing a sample test by
- a) contacting a an antiserum obtained by the method of claim 6, 7, 8, 12 or 13 or 8—with a sample of a tissue, blood or other physiologic sample of a subject to be examined, and
- b) detecting binding of antibodies of the antiserum to the sample; and
- ii) determining the presence of a malignant tumor by deviation of the test result from a control test.

- 10. (previously presented) The method according to Claim 9, in which the method of immunodetection is an immuno-fluorescence test or an erythrocyte sedimentation test.
- 11. (previously presented) The method according to Claim 9, in which an erythrocyte sedimentation test is used and a diagnosis of the presence of a malignant tumor is made when α is greater than or equal to 1.5 and

$$\alpha = \frac{\left| \left(A - \frac{B_1 + B_2}{2} \right) \right| xX}{50}$$

wherein:

A is the index of the ESR of sample test,

 B_1 and B_2 are indices of the ESR of tests upon control samples, X is the maximum value of the ESR observed in the test.

- 12. (new) The method of claim 6, in which the animal that immunized and from which the fetal cells are obtained is a rodent.
- 13. (new) The method of claim 12, in which the rodent is a rat.